	Application No.	Applicant(s)
Notice of Allowability	10/009,239	BAE ET AL.
	Examiner	Art Unit
	Duy M. Dana	2624
	Duy M. Dang	2024
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>7/23/09</u> .		
2. The allowed claim(s) is/are <u>3-8 and 16.</u>		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	5. Notice of Informal P	
2.   Notice of Dransperson's Patent Drawing Review (P10-948)	6. ☐ Interview Summary Paper No./Mail Dat	
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
•		•

Application/Control Number: 10/009,239 Page 2

Art Unit: 2624

### **DETAILED ACTION**

1. Applicant's reply filed on 7/23/07 has been entered and made of record.

## Response to Arguments

2. Applicant's arguments, see last 9 lines of page 3 to page 5, filed 7/23/07, with respect to claim rejections under section 112(1) have been fully considered and are persuasive. The rejections of claims 3-8 have been withdrawn.

#### Examiner's Amendment

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## In the Specification:

-At page 5 line 16, please amend as follows:

"Fig. 12 is 12A, B, C & D, are a Head CT image, its original and compressed sinograms, and"

-At page 5 lines 18-19, please amend as follows:

. "Fig. 13 is 13A, B, C & D, are a compressed spiral lung CT image displayed in (A, B) lung windows and (C, D) soft-tissue windows settings."

# Allowable Subject Matter

- 4. Claims 3-8 and 16 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

Application/Control Number: 10/009,239 Page 3

Art Unit: 2624

Regarding claim 3, the cited prior art does not teach or suggest a method for compressing CT scan digital projection data comprising "controlling the compression by specifying a maximum allowable error between a reconstructed pixel value and an original pixel value to be within two standard deviations of a random noise variance". Likewise, claims 4-8 depend from claim 3 and thus are allowed for the same reasons as well.

Regarding claim 16, reference is made to paragraph 7 of the previous Office action mailed on 3/23/07 as to the reasons for allowance.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duy M. Dang whose telephone number is 571-272-7389. The examiner can normally be reached on Monday to Friday from 6:00AM to 2:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen D. Lillis can be reached on 571-272-6928. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/009,239 Page 4

Art Unit: 2624

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

dmd 9/07

PRIMARY EXAMINER